S24 2RU Sliding Patch Panel - 96 Position SC simplex up to 96 fibers



Description

This innovative, robust 2RU sliding patch panel has been designed to accept up to 96 fibers. The solution incorporates a multi functional panel which allows easy access during installation or rework with no disturbance of the existing cable or fibers. The panel offers multiple cable entry solutions, up to 8 standard cable entry points for loose tube, tight buffer, pre-terminated and steel tape armored cable. Each panel has integrated strength member tie positions, the additional removable plate at the rear of the panel allows the installation of steel tape armored cable.

Features and Benefits

- Up to 96 fibers in 2RU
- 45° open working angle
- Materials Compliant to RoHS2 and REACH/SvHC
- IP20

- 96 SC Simplex adapter positions
- · Accepts loose tube, distribution and pre terminated cables
- Fits standard 19"

Applications


- Data centers, premise installations, telecommunication networks
- Ethernet, Fiber Channel, ATM, LAN, MAN and WAN













• Data communication

• Indoor applications

Specifications

ELEMENT	CHARACTERISTIC
Height (mm)	88
Width (mm)	483
Depth (mm)	250
Net weight (kg)	3.5
Packaged dimensions	530mm (W) x 110mm (H) x 330mm (D)
Cable entry holes	8 (4 x 21mm, 4 x 26mm)
Suitable for adapter type(flangeless adapters only)	SC Simplex, E2000 & LC Duplex
Number of ports	96
Material	Cold Rolled Steel
Material thickness (mm)	1.2
Material coating	Electrostatic powder coating
Colour	Black RAL 9004
Operating temperature (°C)	-40 to +60
Designed in accordance with	TIA/EIA 568.C, ISO/IEC 11801, EN50173, IEC60304, IEC61754,
Compliant to	RoHS2, Reach/SVHC

Technical Drawing






















Ordering Information

Code	Fiber Type		Co	Adaptor/Con nector 1			Code	
F	S SM A	Adaptors	PES	6BX	Α	LC	X-24AD	
	M MM	Adaptors			В	LCA		
	V MM EV	/ adaptors			D	SC		
					Е	SCA		
					L	E2		
					М	E2A		

PART NUMBER	DESCRIPTION	LEGACY PART NUMBER
FMPE96BXDX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F SC MM (Adaptors)	S24SCM96
FSPE96BXDX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F SC SM (Adaptors)	S24SCS96
FSPE96BXEX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F SCA SM (Adaptors)	S24SCA96







PART NUMBER	DESCRIPTION	LEGACY PART NUMBER
FMPE96BXLX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F E2 MM (Adaptors)	S24E2M96
FSPE96BXLX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F E2 SM (Adaptors)	S24E2S96
FSPE96BXMX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 96F E2A SM (Adaptors)	S24E2A96
FMPEACBXAX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 192F LC MM (Adaptors)	S24LCM96
FVPEACBXAX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 192F LC MM EV (Adaptors)	S24LCV96
FSPEACBXAX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 192F LC SM (Adaptors)	S24LCS96
FSPEACBXBX-24AD	Sliding Panel Black 2RU 96 Port (SCS) 192F LCA SM (Adaptors)	S24LCA96

Related Products





OM4 Simplex/Duplex Enhanced Patch Cord



SM Simplex/Duplex Enhanced Patch Cord



FCP2 Fiber Cleaning Kit for SC/ST/FC/LC



One-Click® Cleaner SC/ST/FC







